


KEYED NOTES:

- 1 STANDARD CURB & GUTTER. SEE DETAIL A5021.
- 2 SIDEWALK CURB & GUTTER. SEE DETAIL C1021.
- 3 6" VERTICAL CURB. SEE DETAIL B5021.
- 4 REMOVE EXISTING WALK, RESPADE AS REQUIRED & INSTALL 4" THICK X 8' SIDEWALK OVER 4" AGGREGATE BASE.
- 5 4" DIA. CONCRETE CATCH BASIN WITH TRAFFIC RATED STEEL GRATE (CITY STANDARD PERINIS REQ-402). REMOVE 14.0 LF OF 12" ADS IN 2 STORY PIPE TO SOUTH EXISTING RETENTION POND.
- 6 REMOVE EXISTING WALK, RESPADE AS REQUIRED & INSTALL ADA CURB CUT AND RAMP. SEE DETAIL E5021 & W5021.
- 7 HEAVY DUTY PAVEMENT SECTION. SEE DETAIL K5021.
- 8 PAVEMENT MARKING - 4" WIDE STRIPE.
- 9 6" WIDE LANDSCAPE REPAIR AREA. INSTALL SOD AND TAPER TO EXISTING LANDSCAPE ELEVATION.
- 10 EXISTING LIGHT STANDARD - PROTECT AND PRESERVE.
- 11 2' WIDE LANDSCAPE REPAIR AREA. INSTALL SOD AND TAPER TO EXISTING LANDSCAPE ELEVATION.
- 12 EXISTING WALK - PROTECT AND PRESERVE.
- 13 EXISTING CURB - PROTECT AND PRESERVE.
- 14 REMOVE EXISTING CURB, 1 GUTTER. RESPADE AS REQUIRED & INSTALL 5" WIDE X 6" THICK VALLEY GUTTER OVER 4" AGGREGATE BASE. PROVIDE SMOOTH TRANSITION.
- 15 PATCH / REPAIR DISTURBED LANDSCAPE WITH NEW SOD.
- 16 INSTALL BOLLARD SEE DETAIL.

SITE PLAN - CONSTRUCTION
SCALE: 1" = 20'



NH
Architecture
Planning
Interiors

Nick H. Barnard
Architect LLC
607 West 175 South
Boise, Idaho 83221
Phone: 208.242.6564
Email: nhb@nhb.com

NICK H. BARNARD
LICENSED ARCHITECT
No. 2578
STATE OF IDAHO

Mark	Date	Description
	3.23.16	Replace Entire Sheet

FRANKLIN MIDDLE SCHOOL
Parking Lot Renovation
Building Address 2271 East Terry
School District No. 25 Pocatello, Idaho

Project for:
School District 25
Pocatello/Chubbuck
3115 Pole Line Road
Pocatello, Idaho

Date: March 2016

Sheet Title:
SITE PLAN CONSTRUCTION

Sheet Number:
SD1.1R2