



**SITE PLAN - CONSTRUCTION**

SCALE: 1" = 20'




**KEYED NOTES:**

- 1 STANDARD CURB & GUTTER. SEE DETAIL A5021.
- 2 SIDEWALK CURB & GUTTER. SEE DETAIL C1021.
- 3 6" VERTICAL CURB. SEE DETAIL B5021.
- 4 REMOVE EXISTING WALK, RESPADE AS REQUIRED & INSTALL 4" THICK X 8' SIDEWALK OVER 4" AGGREGATE BASE.
- 5 4" DIA. CONCRETE CATCH BASIN WITH TRAFFIC RATED STEEL GRATE (CITY STANDARD PERMITS REQUIRED). REMOVE 14.0 LF OF 12" ADS IN 2 STORY PIPE TO SOUTH EXISTING RETENTION POND.
- 6 REMOVE EXISTING WALK, RESPADE AS REQUIRED & INSTALL ADA CURB CUT AND RAMP. SEE DETAIL E5021 & W5021.
- 7 HEAVY DUTY PAVEMENT SECTION. SEE DETAIL K5021.
- 8 PAVEMENT MARKING - 4" WIDE STRIPE.
- 9 6" WIDE LANDSCAPE REPAIR AREA. INSTALL SOD AND TAPER TO EXISTING LANDSCAPE ELEVATION.
- 10 EXISTING LIGHT STANDARD - PROTECT AND PRESERVE.
- 11 2' WIDE LANDSCAPE REPAIR AREA. INSTALL SOD AND TAPER TO EXISTING LANDSCAPE ELEVATION.
- 12 EXISTING WALK - PROTECT AND PRESERVE.
- 13 EXISTING CURB - PROTECT AND PRESERVE.
- 14 REMOVE EXISTING CURB, 1' GUTTER. RESPADE AS REQUIRED & INSTALL CURB & GUTTER OVER 4" AGGREGATE BASE. PROVIDE SMOOTH TRANSITION.
- 15 PATCH / REPAIR DISTURBED LANDSCAPE WITH NEW SOD.



**Nick H. Barnard  
Architect LLC**  
607 West 175 North  
Blackfoot, Idaho 83221  
Phone: 208.242.6564  
Email: nhb@nhbarchitect.com



| Mark | Date    | Description          |
|------|---------|----------------------|
|      | 3.15.16 | Replace Entire Sheet |
|      |         |                      |
|      |         |                      |
|      |         |                      |

**FRANKLIN MIDDLE SCHOOL**  
Parking Lot Renovation  
Building Address 2271 East Terry  
School District No. 25 Pocatello, Idaho

Project for:  
**School District 25**  
Pocatello/Chubbuck  
3115 Pole Line Road  
Pocatello, Idaho

Date: March 2016

Sheet Title:  
**SITE PLAN  
CONSTRUCTION**

Sheet Number:  
**SD1.1R**