

**POCATELLO/CHUBBUCK
SCHOOL DISTRICT NO. 25
Bannock County, Idaho**

**Administration Offices
3115 Poleline Road
Pocatello, Idaho, 83201**

March 3, 2017

Addendum No.1

RE: Refinish Pocatello Gym Floor
School District No. 25
Pocatello, Idaho 83201

FROM: Renae Bentley
Business Services
3115 Poleline Road
Pocatello, Idaho 83201
(208) 235-3220
bentlere@sd25.us

This Addendum forms a part of the Contract Documents and modifies the original Bidding Specifications, as noted below. Acknowledge receipt of this Addendum by signature and attach to the original Bid Form. Failure to do so may subject the Bidder to disqualification.

Please make the following change:

PROJECT DESCRIPTION:

The project consists of sanding the existing surface of the gym floor, filling, striping, and sealing the project at Pocatello High School Gym (Palace), which is approximately 9,095 square feet. Striping shall be replaced per High School State Regulations and to match existing. All other existing lines are to be replaced as well.

~~Finish shall be (1) coat of BETCO Street Shoe sealer coat and (2) finish coats of TAC CAT Seal.~~

Finish shall be (2) coats of oil modified gym floor sealer and (2) coats of oil modified gym floor finish.

Acknowledged By: _____
Authorized Signature / Title Company

END OF ADDENDUM No.1 – 03032017 rlb